





MUNDI STAGE 2

parcel.


SCALE 1:1000



MNG. Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND


	WATER		POWER DOME - MINI PILLAR		TOP OF KERB HEIGHT
	WATER METER		POWER DOME - UNIVERSAL PILLAR		SPOT LEVEL
	WATER HYDRANT		STREETLIGHTS		PAD LEVEL
	WATER VALVE		TRANSFORMER SITE		ROAD LEVEL
	DRAINAGE		RETAINING WALL		PROPOSED GARAGE LOCATION
	DRAINAGE LINES		RETAINING WALL WITH LATERITE BLOCK FACING		WATTS SPEED HUMP
	FOOTPATH		SEWER / MANHOLE		
	BUSHFIRE ATTACK LEVEL				



MUNDI STAGE 2

parcel.


SCALE 1:250



MNG. Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		TOP OF KERB HEIGHT
	WATER METER		POWER DOME - UNIVERSAL PILLAR		SPOT LEVEL
	WATER HYDRANT		STREETLIGHTS		PAD LEVEL
	WATER VALVE		TRANSFORMER SITE		ROAD LEVEL
	DRAINAGE		RETAINING WALL		OPTICOMM CONNECTION
	DRAINAGE LINES		RETAINING WALL WITH LATERITE BLOCK FACING		PROPOSED GARAGE LOCATION
	FOOTPATH		SEWER / MANHOLE		WATTS SPEED HUMP
	BUSHFIRE ATTACK LEVEL				



MUNDI STAGE 2
parcel.


SCALE 1:250



MNG Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


LEGEND

	WATER		POWER DOME - MINI PILLAR		TOP OF KERB HEIGHT
	WATER METER		POWER DOME - UNIVERSAL PILLAR		SPOT LEVEL
	WATER HYDRANT		STREETLIGHTS		PAD LEVEL
	WATER VALVE		TRANSFORMER SITE		ROAD LEVEL
	DRAINAGE		RETAINING WALL		OPTICOMM CONNECTION
	DRAINAGE LINES		RETAINING WALL WITH LATERITE BLOCK FACING		PROPOSED GARAGE LOCATION
	FOOTPATH		SEWER / MANHOLE		WATTS SPEED HUMP
	BUSHFIRE ATTACK LEVEL				



MUNDI STAGE 2
parcel.

SCALE 1:250




MNG. Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- DRAINAGE
- DRAINAGE LINES
- FOOTPATH
- BUSHFIRE ATTACK LEVEL

- POWER DOME - MINI PILLAR
- POWER DOME - UNIVERSAL PILLAR
- STREETLIGHTS
- TRANSFORMER SITE
- RETAINING WALL
- RETAINING WALL WITH LATERITE BLOCK FACING
- SEWER / MANHOLE

- TOP OF KERB HEIGHT
- SPOT LEVEL
- PAD LEVEL
- ROAD LEVEL
- OPTICOMM CONNECTION
- PROPOSED GARAGE LOCATION
- WATTS SPEED HUMP



MUNDI  **STAGE 2**
parcel.


SCALE 1:250




 **MNG**. Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		TOP OF KERB HEIGHT
	WATER METER		POWER DOME - UNIVERSAL PILLAR		SPOT LEVEL
	WATER HYDRANT		STREETLIGHTS		PAD LEVEL
	WATER VALVE		TRANSFORMER SITE		ROAD LEVEL
	DRAINAGE		RETAINING WALL		OPTICOMM CONNECTION
	DRAINAGE LINES		RETAINING WALL WITH LATERITE BLOCK FACING		PROPOSED GARAGE LOCATION
	FOOTPATH		SEWER / MANHOLE		WATTS SPEED HUMP
	BUSHFIRE ATTACK LEVEL				





MUNDI STAGE 2
parcel.


SCALE 1:250



MNG. Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


LEGEND

	WATER		POWER DOME - MINI PILLAR		TOP OF KERB HEIGHT
	WATER METER		POWER DOME - UNIVERSAL PILLAR		SPOT LEVEL
	WATER HYDRANT		STREETLIGHTS		PAD LEVEL
	WATER VALVE		TRANSFORMER SITE		ROAD LEVEL
	DRAINAGE		RETAINING WALL		OPTICOMM CONNECTION
	DRAINAGE LINES		RETAINING WALL WITH LATERITE BLOCK FACING		PROPOSED GARAGE LOCATION
	FOOTPATH		SEWER / MANHOLE		WATTS SPEED HUMP
	BUSHFIRE ATTACK LEVEL				



MUNDI STAGE 2
parcel.


SCALE 1:250



MNG. Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


LEGEND

	WATER		POWER DOME - MINI PILLAR		26.80 TOP OF KERB HEIGHT
	WATER METER		POWER DOME - UNIVERSAL PILLAR		26.16 SPOT LEVEL
	WATER HYDRANT		STREETLIGHTS		25.40 PAD LEVEL
	WATER VALVE		TRANSFORMER SITE		ROAD LEVEL
	DRAINAGE		RETAINING WALL		OPTICOMM CONNECTION
	DRAINAGE LINES		RETAINING WALL WITH LATERITE BLOCK FACING		PROPOSED GARAGE LOCATION
	FOOTPATH		SEWER / MANHOLE		WATTS SPEED HUMP
	BAL 12.5 BUSHFIRE ATTACK LEVEL				



MUNDI STAGE 2
parcel.

SCALE 1:250




MNG. Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- DRAINAGE
- DRAINAGE LINES
- FOOTPATH
- BUSHFIRE ATTACK LEVEL


- POWER DOME - MINI PILLAR
- POWER DOME - UNIVERSAL PILLAR
- STREETLIGHTS
- TRANSFORMER SITE
- RETAINING WALL
- RETAINING WALL WITH LATERITE BLOCK FACING
- SEWER / MANHOLE

- TOP OF KERB HEIGHT
- SPOT LEVEL
- PAD LEVEL
- ROAD LEVEL
- OPTICOMM CONNECTION
- PROPOSED GARAGE LOCATION
- WATTS SPEED HUMP



MUNDI STAGE 2
parcel.


SCALE 1:250



MNG. Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


LEGEND

	WATER		POWER DOME - MINI PILLAR		TOP OF KERB HEIGHT
	WATER METER		POWER DOME - UNIVERSAL PILLAR		SPOT LEVEL
	WATER HYDRANT		STREETLIGHTS		PAD LEVEL
	WATER VALVE		TRANSFORMER SITE		ROAD LEVEL
	DRAINAGE		RETAINING WALL		OPTICOMM CONNECTION
	DRAINAGE LINES		RETAINING WALL WITH LATERITE BLOCK FACING		PROPOSED GARAGE LOCATION
	FOOTPATH		SEWER / MANHOLE		WATTS SPEED HUMP
	BUSHFIRE ATTACK LEVEL				



MUNDI STAGE 2
parcel.

SCALE 1:250




MNG. Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- DRAINAGE
- DRAINAGE LINES
- FOOTPATH
- BUSHFIRE ATTACK LEVEL

- POWER DOME - MINI PILLAR
- POWER DOME - UNIVERSAL PILLAR
- STREETLIGHTS
- TRANSFORMER SITE
- RETAINING WALL
- RETAINING WALL WITH LATERITE BLOCK FACING
- SEWER / MANHOLE

- TOP OF KERB HEIGHT
- SPOT LEVEL
- PAD LEVEL
- ROAD LEVEL
- OPTICOMM CONNECTION
- PROPOSED GARAGE LOCATION
- WATTS SPEED HUMP




MUNDI STAGE 2
parcel.
SCALE 1:250
NORTH

MNG. Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


LEGEND

	WATER		POWER DOME - MINI PILLAR		TOP OF KERB HEIGHT
	WATER METER		POWER DOME - UNIVERSAL PILLAR		SPOT LEVEL
	WATER HYDRANT		STREETLIGHTS		PAD LEVEL
	WATER VALVE		TRANSFORMER SITE		ROAD LEVEL
	DRAINAGE		RETAINING WALL		OPTICOMM CONNECTION
	DRAINAGE LINES		RETAINING WALL WITH LATERITE BLOCK FACING		PROPOSED GARAGE LOCATION
	FOOTPATH		SEWER / MANHOLE		WATTS SPEED HUMP
	BUSHFIRE ATTACK LEVEL				



MUNDI STAGE 2
parcel.

SCALE 1:250




MNG. Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


LEGEND


- WATER
- WATER METER
- WATER HYDRANT
- WATER VALVE
- DRAINAGE
- DRAINAGE LINES
- FOOTPATH
- BAL 12.5 BUSHFIRE ATTACK LEVEL


- POWER DOME - MINI PILLAR
- POWER DOME - UNIVERSAL PILLAR
- STREETLIGHTS
- TRANSFORMER SITE
- RETAINING WALL
- RETAINING WALL WITH LATERITE BLOCK FACING
- SEWER / MANHOLE


- 28.80 TOP OF KERB HEIGHT
- 28.16 SPOT LEVEL
- 28.34 PAD LEVEL
- 25.40 ROAD LEVEL
- OPTICOMM CONNECTION
- PROPOSED GARAGE LOCATION
- WATTS SPEED HUMP

























































MUNDI STAGE 2
parcel.


SCALE 1:250



MNG Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


LEGEND

	WATER		POWER DOME - MINI PILLAR		TOP OF KERB HEIGHT
	WATER METER		POWER DOME - UNIVERSAL PILLAR		SPOT LEVEL
	WATER HYDRANT		STREETLIGHTS		PAD LEVEL
	WATER VALVE		TRANSFORMER SITE		ROAD LEVEL
	DRAINAGE		RETAINING WALL		OPTICOMM CONNECTION
	DRAINAGE LINES		RETAINING WALL WITH LATERITE BLOCK FACING		PROPOSED GARAGE LOCATION
	FOOTPATH		SEWER / MANHOLE		WATTS SPEED HUMP
	BUSHFIRE ATTACK LEVEL				



MUNDI STAGE 2
parcel.


SCALE 1:250



MNG. Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		TOP OF KERB HEIGHT
	WATER METER		POWER DOME - UNIVERSAL PILLAR		SPOT LEVEL
	WATER HYDRANT		STREETLIGHTS		ROAD LEVEL
	WATER VALVE		TRANSFORMER SITE		OPTICOMM CONNECTION
	DRAINAGE		RETAINING WALL		PROPOSED GARAGE LOCATION
	DRAINAGE LINES		RETAINING WALL WITH LATERITE BLOCK FACING		WATTS SPEED HUMP
	FOOTPATH		SEWER / MANHOLE		
	BAL 12.5				
	BUSHFIRE ATTACK LEVEL				



MUNDI STAGE 2
parcel.


SCALE 1:250



MNG Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


LEGEND

	WATER		POWER DOME - MINI PILLAR		TOP OF KERB HEIGHT
	WATER METER		POWER DOME - UNIVERSAL PILLAR		SPOT LEVEL
	WATER HYDRANT		STREETLIGHTS		PAD LEVEL
	WATER VALVE		TRANSFORMER SITE		ROAD LEVEL
	DRAINAGE		RETAINING WALL		OPTICOMM CONNECTION
	DRAINAGE LINES		RETAINING WALL WITH LATERITE BLOCK FACING		PROPOSED GARAGE LOCATION
	FOOTPATH		SEWER / MANHOLE		WATTS SPEED HUMP
	BUSHFIRE ATTACK LEVEL				



MUNDI STAGE 2
parcel.


SCALE 1:250



MNG. Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		TOP OF KERB HEIGHT
	WATER METER		POWER DOME - UNIVERSAL PILLAR		SPOT LEVEL
	WATER HYDRANT		STREETLIGHTS		ROAD LEVEL
	WATER VALVE		TRANSFORMER SITE		ROAD LEVEL
	DRAINAGE		RETAINING WALL		PROPOSED GARAGE LOCATION
	DRAINAGE LINES		RETAINING WALL WITH LATERITE BLOCK FACING		WATTS SPEED HUMP
	FOOTPATH				
	BUSHFIRE ATTACK LEVEL				



MUNDI

STAGE 2

parcel.

SCALE 1:250




NORTH


MNG. Ref: 96750lp-026b Date: 27/08/2025


Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND			
	WATER		DRAINAGE
	WATER METER		DRAINAGE LINES
	WATER HYDRANT		FOOTPATH
	WATER VALVE		WATTS SPEED HUMP
	POWER DOME - MINI PILLAR		POWER DOME - UNIVERSAL PILLAR
	STREETLIGHTS		TRANSFORMER SITE
	RETAINING WALL		RETAINING WALL WITH LATERITE BLOCK FACING
	SEWER / MANHOLE		TOP OF KERB HEIGHT
			SPOT LEVEL
			PAD LEVEL
			ROAD LEVEL
	OPTICOMM CONNECTION		PROPOSED GARAGE LOCATION
	BAL 12.5 BUSHFIRE ATTACK LEVEL		







38

51

37

52
450m²

36

53

30.50

30.40

30.30

PASTORAL ROAD

MUNDI STAGE 2
parcel.


SCALE 1:250


NORTH


MNG. Ref: 96750lp-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

WATER	DRAINAGE	POWER DOME - MINI PILLAR	RETAINING WALL	TOP OF KERB HEIGHT	OPTICOMM CONNECTION
WATER METER	DRAINAGE LINES	POWER DOME - UNIVERSAL PILLAR	RETAINING WALL WITH LATERITE BLOCK FACING	SPOT LEVEL	PROPOSED GARAGE LOCATION
WATER HYDRANT	FOOTPATH	STREETLIGHTS	SEWER / MANHOLE	PAD LEVEL	BAL 12.5 BUSHFIRE ATTACK LEVEL
WATER VALVE	WATTS SPEED HUMP	TRANSFORMER SITE		ROAD LEVEL	








MUNDI STAGE 2
parcel.

SCALE 1:250



MNG. Ref: 96750lp-026b Date: 27/08/2025
 Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

— W — WATER

WM WATER METER

H WATER HYDRANT

X WATER VALVE

— DRAINAGE

— DRAINAGE LINES

— FOOTPATH

WATTS SPEED HUMP

POWER DOME - MINI PILLAR

POWER DOME - UNIVERSAL PILLAR

STREETLIGHTS

TRANSFORMER SITE

RETAINING WALL

RETAINING WALL WITH LATERITE BLOCK FACING

— S — SEWER / MANHOLE

26.60 TOP OF KERB HEIGHT

26.16 SPOT LEVEL


28.30 PAD LEVEL


25.40 ROAD LEVEL

OPTICOMM CONNECTION

PROPOSED GARAGE LOCATION


BAL 12.5 BUSHFIRE ATTACK LEVEL





MUNDI STAGE 2
parcel.

SCALE 1:250




MNG. Ref: 96750lp-026b Date: 27/08/2025
Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


LEGEND

- | | | | | | |
|---------------|------------------|-------------------------------|---|--------------------|-------------------------------|
| WATER | DRAINAGE | POWER DOME - MINI PILLAR | RETAINING WALL | TOP OF KERB HEIGHT | POWER DOME - UNIVERSAL PILLAR |
| WATER METER | DRAINAGE LINES | POWER DOME - UNIVERSAL PILLAR | RETAINING WALL WITH LATERITE BLOCK FACING | SPOT LEVEL | POWER DOME - UNIVERSAL PILLAR |
| WATER HYDRANT | FOOTPATH | STREETLIGHTS | SEWER / MANHOLE | PAD LEVEL | PROPOSED GARAGE LOCATION |
| WATER VALVE | WATTS SPEED HUMP | TRANSFORMER SITE | | ROAD LEVEL | BUSHFIRE ATTACK LEVEL |



MUNDI STAGE 2
parcel.

SCALE 1:250



MNG. Ref: 96750lp-026b Date: 27/08/2025
Depicted information subject to approvals and survey.

All dimensions and areas are subject to survey. The particulars on this brochure are supplied for information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

— W — WATER

WM WATER METER

H WATER HYDRANT

X WATER VALVE

— DRAINAGE

— DRAINAGE LINES

— FOOTPATH

WATTS SPEED HUMP

POWER DOME - MINI PILLAR

POWER DOME - UNIVERSAL PILLAR

STREETLIGHTS

TRANSFORMER SITE

RETAINING WALL

RETAINING WALL WITH LATERITE BLOCK FACING

S SEWER / MANHOLE

26.60 TOP OF KERB HEIGHT

26.16 SPOT LEVEL


26.30 PAD LEVEL


25.40 ROAD LEVEL


OPTICOMM CONNECTION


PROPOSED GARAGE LOCATION


BAL 12.5 BUSHFIRE ATTACK LEVEL















MUNDI STAGE 2
parcel.


SCALE 1:250



MNG. Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


LEGEND

	WATER		POWER DOME - MINI PILLAR		TOP OF KERB HEIGHT
	WATER METER		POWER DOME - UNIVERSAL PILLAR		SPOT LEVEL
	WATER HYDRANT		STREETLIGHTS		ROAD LEVEL
	WATER VALVE		TRANSFORMER SITE		PROPOSED GARAGE LOCATION
	DRAINAGE		RETAINING WALL		WATTS SPEED HUMP
	DRAINAGE LINES		RETAINING WALL WITH LATERITE BLOCK FACING		
	FOOTPATH		SEWER / MANHOLE		
	BUSHFIRE ATTACK LEVEL				



MUNDI STAGE 2
parcel.

SCALE 1:250



MNG Ref: 96750lip-026b Date: 27/08/2025
Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		TOP OF KERB HEIGHT
	WATER METER		POWER DOME - UNIVERSAL PILLAR		SPOT LEVEL
	WATER HYDRANT		STREETLIGHTS		PAD LEVEL
	WATER VALVE		TRANSFORMER SITE		ROAD LEVEL
	DRAINAGE		RETAINING WALL		OPTICOMM CONNECTION
	DRAINAGE LINES		RETAINING WALL WITH LATERITE BLOCK FACING		PROPOSED GARAGE LOCATION
	FOOTPATH		SEWER / MANHOLE		WATTS SPEED HUMP
	BUSHFIRE ATTACK LEVEL				